

**Price List
November 2017**

O-line

AUTHORIZATION CERTIFICATE

NO'S: 9711098 9711099 9711100

ISSUED BY THE

SABS 0142 AUTHORIZATIONS COMMITTEE

**IN TERMS OF SABS 0142 CLAUSE 4.2.1
AND ANNEX A**



ISSUED TO:

O-LINE (PTY) LTD

(Copies of authorization certificates are
available on request with goods purchased)

O-LINE'S INTELLECTUAL PROPERTY

O-line recognises the necessity for continuous improvement in every element of its business, to satisfy customer needs and maintain a technological edge via the products it designs and supplies. O-line's innovative technology is protected by intellectual property rights such as patents and trademarks which preserve the company's ability to control the quality of its new and existing products and prevent cheap imitations which could damage both O-line's and its client's business.

O-line's patents and trademarks are referred to continually throughout this Price List. Trademarks other than in Price List drawings and tables, are indicated in italics, thus:- *Litespan*®, *Powerspan*®, *Powerpole*® etc.


No part of this Price List may be reproduced or distributed in any form or by any means, without the prior written permission of O-line. Furthermore O-line (Pty) Ltd is the owner of all patents and trademarks, inclusive of all technical drawings, catalogues and brochures, as formerly related to the Engineering Services Division of GKN Sankey (SA) (Pty) Ltd.

Whilst every possible care has been taken in compiling the information in this Price List, O-line will not be held responsible for errors or omissions contained herein.


Page	Category
	Wiring Channel
2	KTS OL1000, OL3300, OL2000, OL3300
3	KTS OL9000, OL8000, OL8200, OL8300
	Zip Clip
4	VBS Loop Lock, Zip Lock, Try Lock
5	VBS Con Lock, Luma Lock, Reels, Clips
	Cable Trays
6	KTS Magic Tray 35
7	KTS Magic Tray 60
8	KTS PT12 / PT19 & PT38
9	KTS PT76 & PT Covers
10	KTS Gridspan Wiremesh GS50 & GS75
11	KTS Returnflange RF25 & RF50
	Powerskirting
12	LFS Multiskirt
13	LFS Rapid 45
14	LFS Premierskirt
	Workstation Outlets
15	LFS Powerpole, Powermast
16	LFS Socket Outlets
17	LFS Socket Outlets
18	UFS Underfloor Systems
19	UFS Underfloor Systems
20	UFS FFD Cottage Pedestals, YT Trunking
21	LFS Supermarket Trunking
	Connection & Fastening Systems
22	VBS T Series, A Series Conduit Boxes
23	VBS Mx Series, Screwless Terminals
24	VBS OBO Anchor, Quick Clip, Pressure Clip, Grip Cable Tidy
25	VBS Separable Gland, Cable Glands
	Lightning & Surge Protection
26	TBS Transient & Lightning Protection Systems
27	TBS Surge Protection Systems
28	TBS Iscon Cable
29	TBS Iscon Cable
	Metal Framing
30	KTS Olistrut & Combination Channels, Angle Iron, Beam Clamps, Postbases
31	KTS Cantilever Brackets
32	KTS Fasteners
33	KTS Metal Fittings
34	KTS Pipe & Cable Clamps
35	KTS Pipe & Cable Clamps
	Fire & Protection
36	BSS Fire Protection Systems
	Cable Ladders
38	KTS OL55, OL76
39	KTS PS75, PS100
40	KTS OL & PS Covers
41	KTS SSP130
	Price on Request Products
42	KTS Twinspan, Duraspan
43	KTS Minespan, Angle Iron Ladder

When placing orders please use product code indicated by #

WIRING CHANNELS




	OL1000	OL3300	OL2000		OL4000	OL2200 *
Straight	R 962,00	R 886,00	R 577,00	R 391,00	R 402,00	R 263,00
	# 6901803	# 6901903	# 6901855	# 6901853	# 6901953	# 6902003
Size	41x41	41x20	41x41	41x41	41x20	51x51
Thickness	2.5mm		1.6mm	1.0mm	1.6mm	0.8mm
Length	6m		5m		5m	3m
	OL1184					OL2184
PG Cover	R 117,00		R 94,00			R 124,00
	# 6901805		# 6901857			# 6902005
PVC Cover	R 48,00		R 40,00			-
	# 6901807 G / # 6901809 W		# 6901859 G / # 6901861 W			-
PG Thickness	0,5		0,5			0,5
Length	3m		2.5m			3m
Internal Splice	R 14,00	R 11,00	R 14,00		R 11,00	R 19,00
	# 6901811	# 6901911	# 6901811		# 6901911	# 6902007
End Cap	R 9,00	R 7,00	R 7,00		R 7,00	R 7,00
	# 6901813	# 6901913	# 6901865		# 6901963	# 6902009
90° Bend	R 49,00	R 44,00	R 49,00		R 44,00	R 55,00
Horizontal	# 6901815	# 6901915	# 6901815		# 6901915	# 6902011
Internal	# 6901817	# 6901917	# 6901817		# 6901917	# 6902013
External	# 6901819	# 6901919	# 6901819		# 6901919	# 6902015
Tee	R 43,00	R 39,00	R 43,00		R 39,00	R 49,00
	# 6901821	# 6901921	# 6901821		# 6901921	# 6902017
4Way	R 66,00	R 61,00	R 66,00		R 61,00	R 74,00
	# 6901823	# 6901923	# 6901823		# 6901923	# 6902019
OL2335 Hanger	R 22,00					R 26,00
	# 6901825					# 6902021




Flange Hanger	OLFH01/8	OLFH01/12
Hole Size	8mm	12mm
	R 28,10	R 47,70
	# 9811157	# 9811156
Purlin Hanger	OLPH01/10	OLPH01/12
Hole Size	10mm	12mm
	R 20,60	R 25,00
	# 9811171	# 9812803

OL2540 - Flourescent Adaptor		
	Nylon c/w Locknut	Brass
	R 9,00	R 64,10
	# 9810857	# 9810856
Swivel Hanger - EG		
OLSH01/12	12mm	R 63,50
		# 9812368



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • PVC Covers are available in White or Grey • OL2200 Channels are supplied with 20mm knock outs at 152mm centres on both sides •




When placing orders please use product code indicated by #

OL9000 & OL8000 Straights now complete with splice

	OL9000	OL8000	OL8200	OL8300
Straight	R 369,00	R 254,00	R 315,00	R 364,00
	# 6902053	# 6902133	# 6902203	# 6902273
Size	127x76	76x76	76x50	76x63
Length	3m			
	OL9184	OL8184		
PG Cover	R 217,00	R 141,00		
	# 6902055	# 6902135		
PVC Cover	R 124,00	R 80,00		
	# 6902057 - Grey	# 6902137 - Grey		
	# 6902059 - White	# 6902139 - White		
Length	3m			
5A SO for OL8300	-	-	-	R 54,00
	-	-	-	# 9810104
Internal Splice	R 34,00	R 28,00	R 26,00	R 27,00
	# 6902061	# 6902141	# 6902211	# 6902289
End Cap	R 12,00	R 10,00	R 9,00	R 10,00
	# 6902063	# 6902143	# 6902213	# 6902293
90° Bend	R 83,00	R 67,00	R 63,00	R 67,00
Horizontal	# 6902065	# 6902145	# 6902215	# 6902297
Internal	# 6902067	# 6902147	# 6902217	# 6902301
External	# 6902069	# 6902149	# 6902219	# 6902305
Tee	R 103,00	R 82,00	R 77,00	R 83,00
	# 6902071	# 6902151	# 6902221	# 6902309
4Way	R 146,00	R 118,00	R 113,00	R 121,00
	# 6902073	# 6902153	# 6902223	# 6902313
Hanger	R 40,00	R 35,00		
	# 6902097	# 6902177		
Radiused Accessories, priced complete with Cover - supplied and invoice separately				
Radiused Horizontal	R 203,00	R 159,00	R 167,00	R 173,00
Horizontal Body	# 6902075	# 6902155	# 6902225	# 6902317
Horizontal Cover	# 6902077	# 6902157	# 6902157	# 6902157
Radiused Internal	R 146,00	R 131,00	R 119,00	R 128,00
Internal c/w Cover	# 6902079	# 6902159	# 6902229	# 6902325
Radiused External	R 153,00	R 137,00	R 133,00	R 143,00
External Body	# 6902081	# 6902161	# 6902231	# 6902329
External Cover	# 6902083	# 6902163	# 6902163	# 6902163
Radiused Tee	R 231,00	R 192,00	R 194,00	R 203,00
Tee Body	# 6902085	# 6902165	# 6902235	# 6902337
Tee Cover	# 6902087	# 6902167	# 6902167	# 6902167
Radiused 4Way	R 369,00	R 277,00	R 283,00	R 285,00
4Way Body	# 6902089	# 6902169	# 6902239	# 6902345
4Way Cover	# 6902091	# 6902171	# 6902171	# 6902171
DB Outlet	R 197,00	R 150,00	R 149,00	R 159,00
DB Outlet Body	# 6902093	# 6902173	# 6902243	# 6902353
DB Outlet Cover	# 6902097	# 6902175	# 6902175	# 6902175




External Bend



Horizontal Bend



Internal Bend



Tee



DB Outlet




Hanger

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • PVC Covers are available in White or Grey • OL8300 Channels standard with six (6) staggered apertures for 5A socket outlet •


WIRING CHANNELS




OL9000



OL8000



OL8200



OL8300
c/w 6x5a
KO



OL9184/
OL8184

When placing orders please use product code indicated by #


ZIP CLIP



Loop Lock		
Green (10kg)	1m	R 75,77 # 9810262
	2m	R 80,23 # 9810267
	5m	R 93,60 # 9810275
	10m	R 116,78 # 9810259
Silver (50kg)	1m	R 82,90 # 9810265
	2m	R 89,14 # 9810270
	4m	R 101,62 # 9810274
	5m	R 108,76 # 9810279
	10m	R 140,85 # 9810261
Red (90kg)	1m	R 157,78 # 9810264
	2m	R 170,27 # 9810269
	5m	R 205,92 # 9810278
Purple (230kg)	1m	R 225,53 # 9810263
	2m	R 238,91 # 9810268
	3m	R 253,17 # 9810271
	5m	R 279,91 # 9810276
	10m	R 349,44 # 9810260

Loop-Lock & Zip Lock Applications:

- Beams
- Purlins
- Roof Trusses
- Any other wrap-around applications



Zip Lock		
Green (10kg)	2m	R 99,84 # 9812044
	5m	R 117,67 # 9812050
	10m	R 147,09 # 9812042
Silver (50kg)	1m	R 115,00 # 9812045
	2m	R 122,13 # 9812047
	3m	R 130,15 # 9812049
	5m	R 144,41 # 9812051
	10m	R 179,18 # 9812043

Try- Lock Applications

- Cable Basket
- Cable Tray
- Channel Supports
- Chilled Beams
- Radiant Heat Panels



Try Lock		
Silver (50kg)	230mm	R 74,40 # 9812015
	300mm	R 76,66 # 9812016
	460mm	R 78,45 # 9812017

• Prices are List Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #



Con Lock Applications:

Suitable for Concrete applications including:

- Cracked Concrete
- Reinforced Concrete
- Slagged Concrete
- Hollow pot



Con Lock




Luma Lock Applications:

Suitable for primary and secondary support for suspending:

- Lighting Fittings
- Heat Panels
- Plenum Boxes
- Basket, Ladder & Tray

Luma Lock		
Silver (35kg)	230mm	R 64,00
		# 9810280
	300mm	R 69,53
		# 9810281
	460mm	R 71,32
		# 9810283



Con Lock		
Green (10kg)	1m	R 98,06 # 9810119
	2m	R 105,19 # 9810122
	5m	R 123,02 # 9810128
	10m	R 154,22 # 9810117
Silver (50kg)	1m	R 121,24 # 9810121
	2m	R 127,48 # 9810124
	3m	R 134,61 # 9810127
	5m	R 148,87 # 9810129
	10m	R 183,64 # 9810118
Red (90kg)	1m	R 78,64 # 9810120
	2m	R 76,66 # 9810123
	3m	R 78,45 # 9810126

Reels		
Silver (60kg)	100m	R 763,07 # 9811936
	200m	R 1 525,25 # 9811745
Red (90kg)	100m	R 616,00 # 9811935
Purple (230kg)	100m	R 1 547,43 # 9811934

Clips		
KL50	10kg	R 52,59 # 9811932
KL100	100kg	R 59,73 # 9812408
KL200	230kg	R 179,18 # 9811933

Accessories		
Eye-Bolt	M6 x 20mm	R 13,37 # 9812040
	M6 x 45mm	R 32,09 # 9812041
Wire Cutter		R 1 303,29 # 9812039


• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • PVC Covers are available in White or Grey • OL8300 Channels standard with six (6) staggered apertures for 5A socket outlet •

When placing orders please use product code indicated by #


RKS MAGIC TRAY

OBO35- Mild Steel Pre-Galvanized (PG)


	100mm	200mm	300mm
3m Straight	R 417,00	R 590,00	R 757,00
	# 6047417	# 6047433	# 6047460
90° Horizontal	R 341,00	R 444,00	R 541,00
	# 6043119	# 6043127	# 6043135
90° Internal	R 473,00	R 515,00	R 600,00
	# 7007174	# 7007182	# 7007186
90° External	R 473,00	R 515,00	R 600,00
	# 7007204	# 7007212	# 7007216
Tee	R 477,00	R 619,00	R 781,00
	# 6041030	# 6041032	# 6041034
Add-on Tee	R 298,00	R 319,00	R 357,00
	# 6040322	# 6040349	# 6040357
Central Hanger	R 108,00	R 110,00	R 119,00
	# 6358690	# 6358692	# 6358694
Reducer / End Cap	R 122,00	R 153,00	R 182,00
	# 7108109	# 7108206	# 7108311



Straight Splice	R 24,00
	# 6067085
Angle Splice	R 42,00
	# 6067107
Adjustable Splice	R 59,00
	# 7082002
3m Divider	R 189,00
	# 6062050



Straight Splice



Angle Splice



Adjustable Splice

Splice price includes fasteners.
Splices are sold separately, not as set.




90° External




Tee

Adjustable Bend Element



Add-on Tee



90° Internal



90° Horizontal



• Prices are List Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #


OBO60- Mild Steel Pre-Galvanized (PG)

	100mm	200mm	300mm	400mm	500mm	600mm
3m Straight	R 470,00 # 6047611	R 626,00 # 6047638	R 792,00 # 6047654	R 1 107,00 # 6047689	R 1 323,00 # 6047719	R 1 501,00 # 6047735
90° Horizontal	R 343,00 # 6043216	R 446,00 # 6043224	R 541,00 # 6043232	R 1 058,00 # 7001290	R 1 405,00 # 7001304	R 1 536,00 # 7001312
90° Internal	R 474,00 # 7007005	R 518,00 # 7007013	R 607,00 # 7007017	R 693,00 # 7007021	R 831,00 # 7007025	R 857,00 # 7007029
90° External	R 474,00 # 7007055	R 518,00 # 7007063	R 607,00 # 7007067	R 693,00 # 7007071	R 831,00 # 7007075	R 857,00 # 7007079
Adjustable Bend	R 798,00 # 7006322	R 956,00 # 7006349	R 1 050,00 # 7006365	R 1 221,00 # 7006381	R 1 423,00 # 7006411	R 1 626,00 # 7006446
Tee	R 510,00 # 6043410	R 683,00 # 6043429	R 883,00 # 6043437	R 1 627,00 # 7003390	R 2 288,00 # 7003412	R 2 645,00 # 7003439
Add-on Tee	R 336,00 # 6040403	R 371,00 # 6040438	R 405,00 # 6040446	n/a	n/a	n/a
4Way	R 590,00 # 6043615	R 716,00 # 6043623	R 888,00 # 6043631	R 2 447,00 # 7004397	R 2 933,00 # 7004419	R 4 232,00 # 7004435
Central Hanger	R 110,00 # 6358705	R 119,00 # 6358713	R 123,00 # 6358717	n/a	n/a	n/a
Reducer /	R 132,00 # 7109105	R 169,00 # 7109202	R 203,00 # 7109296	R 229,00 # 7109407	R 278,00 # 7109504	R 308,00 # 7109601


Straight Splice	R 35,00 # 6067093
Angle Splice	R 46,00 # 6067115
Adjustable Splice	R 74,00 # 7082010
3m Divider	R 208,00 # 6062068



Straight Splice



Angle Splice




Adjustable Splice

Splice price includes fasteners.
Splices are sold separately, not as set.




4Way



Reducer / End Caps

Central Hanger



Adjustable Bend

Magic Tray clip in system,
no splices required on straights

• Prices are List Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

RKS MAGIC TRAY





When placing orders please use product code indicated by #


PERFORATED TRAY

PT12 / PT19 Perforated Tray - Mild Steel Pre-Galvanized (PG)

		3m Str	Hor	Int	Ext	Tee	4Way
PT12	50mm	R 165,00	R 80,00	R 52,00		R 122,00	R 208,00
	1.0mm	# 6900003	# 6900053	# 6900103	# 6900153	# 6900203	# 6900253
	76mm	R 210,00	R 84,00	R 59,00		R 138,00	R 258,00
	1.0mm	# 6900007	# 6900057	# 6900107	# 6900157	# 6900207	# 6900257
PT19	101mm	R 281,00	R 135,00	R 82,00		R 155,00	R 289,00
	1.0mm	# 6900011	# 6900061	# 6900111	# 6900161	# 6900211	# 6900261
	152mm	R 371,00	R 174,00	R 102,00		R 195,00	R 334,00
	1.0mm	# 6900015	# 6900065	# 6900115	# 6900165	# 6900215	# 6900265
	203mm	R 552,00	R 208,00	R 140,00		R 257,00	R 357,00
	1.2mm	# 6900019	# 6900069	# 6900119	# 6900169	# 6900219	# 6900269
	228mm	R 607,00	R 215,00	R 152,00		R 297,00	R 387,00
	1.2mm	# 6900023	# 6900073	# 6900123	# 6900173	# 6900223	# 6900273
	304mm	R 760,00	R 300,00	R 186,00		R 357,00	R 474,00
	1.2mm	# 6900027	# 6900077	# 6900127	# 6900177	# 6900227	# 6900277

To Splice PT12 & PT19, overlap trays and bolt with below fasteners

M6 x 12mm Gutterbolt & Nut	M6 Fender Washer
	
R 1,00	R 0,82
# 6910712	# 6910706



PT38 Splice Set c/w Fasteners
R 95,00
6900522

PT38 Perforated Tray - Mild Steel Hot-Dip Galvanized (HDG)



PT38 has been tested according to IEC: 61537 (2006-10) loading standards.
Certificate available upon request.

	3m Str	Hor	Int	Ext	Tee	4Way
76mm	R 537,00	R 437,00	R 576,00		R 1 085,00	R 1 891,00
1.6mm	# 6900303	# 6900343	# 6900383	# 6900423	# 6900463	# 6900503
114mm	R 657,00	R 506,00	R 619,00		R 1 153,00	R 2 004,00
1.6mm	# 6900307	# 6900347	# 6900387	# 6900427	# 6900467	# 6900507
152mm	R 777,00	R 614,00	R 663,00		R 1 266,00	R 2 120,00
1.6mm	# 6900311	# 6900351	# 6900391	# 6900431	# 6900471	# 6900511
228mm	R 1 017,00	R 849,00	R 750,00		R 1 464,00	R 2 417,00
1.6mm	# 6900315	# 6900355	# 6900395	# 6900435	# 6900475	# 6900515
304mm	R 1 253,00	R 1 086,00	R 906,00		R 1 886,00	R 2 995,00
1.6mm*	# 6900319	# 6900359	# 6900399	# 6900439	# 6900479	# 6900519

*304mm Accessories - 2.0mm

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure • PT12 and PT19 Accessory Radius = 75mm • PT38 Accessory radius = 450mm • Splice Sets are sold separately and not included in price • 4Ways are made to order and non-returnable •

When placing orders please use product code indicated by #

PT76 Perforated Tray - Mild Steel Hot-Dip Galvanized (HDG)




PT76 has been tested according to IEC: 61537 (2006-10) loading standards.
Certificate available upon request.

	3m Str	Hor	Int	Ext	Tee	4Way
76mm	R 778,00	R 522,00	R 678,00		R 1 233,00	R 2 059,00
1.6mm	# 6900553	# 6900603	# 6900653	# 6900703	# 6900753	# 6900803
114mm	R 898,00	R 593,00	R 722,00		R 1 324,00	R 2 172,00
1.6mm	# 6900557	# 6900607	# 6900657	# 6900707	# 6900757	# 6900807
152mm	R 1 018,00	R 703,00	R 765,00		R 1 419,00	R 2 288,00
1.6mm	# 6900561	# 6900611	# 6900661	# 6900711	# 6900761	# 6900811
228mm	R 1 258,00	R 944,00	R 853,00		R 1 621,00	R 2 582,00
1.6mm	# 6900565	# 6900615	# 6900665	# 6900715	# 6900765	# 6900815
304mm	R 1 892,00	R 1 209,00	R 1 032,00		R 2 070,00	R 3 179,00
2.0mm	# 6900569	# 6900619	# 6900669	# 6900719	# 6900769	# 6900819
457mm	R 2 547,00	R 1 775,00	R 1 233,00		R 2 619,00	R 3 829,00
2.0mm	# 6900573	# 6900623	# 6900673	# 6900723	# 6900773	# 6900823
609mm	R 3 158,00	R 2 309,00	R 1 432,00		R 3 236,00	R 4 552,00
2.0mm	# 6900577	# 6900627	# 6900677	# 6900727	# 6900777	# 6900827

PT76 Splice Set c/w Fastners	PT Center Splice
R 113,00	R 40,00
# 6900832	# 6900529

Splice

Center Splice



Horizontal


Tee



External



Internal



Straight & Cover

PT38 & PT76 Perforated Tray Covers - Mild Steel Hot-Dip Galvanized (HDG)

	1.5m Str	Hor	Int	Ext	Tee	4Way
76mm	R 229,00	R 378,00	R 199,00		R 962,00	R 1 795,00
1.6mm	# 6900853	# 6900903	# 6900953	# 6901003	# 6901053	# 6901103
114mm	R 290,00	R 455,00	R 241,00		R 1 058,00	R 1 916,00
1.6mm	# 6900857	# 6900907	# 6900957	# 6901007	# 6901057	# 6901107
152mm	R 366,00	R 555,00	R 282,00		R 1 151,00	R 2 027,00
1.6mm	# 6900861	# 6900911	# 6900961	# 6901011	# 6901061	# 6901111
228mm	R 503,00	R 772,00	R 400,00		R 1 351,00	R 2 303,00
1.6mm	# 6900865	# 6900915	# 6900965	# 6901015	# 6901065	# 6901115
304mm	R 639,00	R 909,00	R 450,00		R 1 561,00	R 2 555,00
1.6mm	# 6900869	# 6900919	# 6900969	# 6901019	# 6901069	# 6901119
457mm	R 916,00	R 1 411,00	R 616,00		R 2 039,00	R 3 071,00
1.6mm	# 6900873	# 6900923	# 6900973	# 6901023	# 6901073	# 6901123
609mm	R 1 188,00	R 1 844,00	R 782,00		R 2 511,00	R 3 620,00
1.6mm	# 6900877	# 6900927	# 6900977	# 6901027	# 6901077	# 6901127


No 10 Pozi Drive	U Nut
R 1,00	R 4,30
# 6901132	# 6901139

Cover Clamp - 3.0mm
R 26,00
9814267

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure • PT76 Accessory radius = 450mm • Splice Sets are sold separately and not included in price • 4Ways are made to order and non-returnable •


When placing orders please use product code indicated by #

GRIDSPAN




GS50 Wiremesh Cable Tray - Mild Steel Hot-Dip Galvanized (HDG)

	3m Str	Hor	Int	Ext	Tee	4Way
50mm	R 293,00	R 264,00	R 211,00		R 637,00	R 999,00
4.0mmØ	# 6901153	# 6901203	# 6901253	# 6901303	# 6901353	# 6901403
100mm	R 312,00	R 329,00	R 266,00		R 781,00	R 1 230,00
4.0mmØ	# 6901157	# 6901207	# 6901257	# 6901307	# 6901357	# 6901407
150mm	R 378,00	R 394,00	R 331,00		R 955,00	R 1 468,00
4.0mmØ	# 6901161	# 6901211	# 6901261	# 6901311	# 6901361	# 6901411
200mm	R 425,00	R 459,00	R 346,00		R 1 107,00	R 1 710,00
4.0mmØ	# 6901165	# 6901215	# 6901265	# 6901315	# 6901365	# 6901415
300mm	R 520,00	R 589,00	R 477,00		R 1 438,00	R 1 912,00
4.0mmØ	# 6901169	# 6901219	# 6901269	# 6901319	# 6901369	# 6901419
400mm	R 616,00	R 730,00	R 579,00		R 1 754,00	R 2 050,00
4.0mmØ	# 6901173	# 6901223	# 6901273	# 6901323	# 6901373	# 6901423
500mm	R 711,00	R 860,00	R 654,00		R 2 093,00	R 2 291,00
4.0mmØ	# 6901177	# 6901227	# 6901277	# 6901327	# 6901377	# 6901427
600mm	R 806,00	R 997,00	R 793,00		R 2 406,00	R 2 832,00
4.0mmØ	# 6901181	# 6901231	# 6901281	# 6901331	# 6901381	# 6901431



GS Splice c/w Nut & Bolt	GS Side Holder	GS Support Arm 1.45m	GS Hold Down Bracket
R 7,00	R 28,00	R 224,00	R 11,00
# 9810191	# 6015336	# 6901449	# 6901744 - M8
			# 9810177 - M12



GS75 Wiremesh Cable Tray - Mild Steel Hot-Dip Galvanized (HDG)

	3m Str	Hor	Int	Ext	Tee	4Way
100mm	R 682,00	R 582,00	R 478,00		R 1 456,00	R 2 588,00
5.0mmØ	# 6901453	# 6901503	# 6901553	# 6901603	# 6901653	# 6901703
150mm	R 791,00	R 675,00	R 622,00		R 1 682,00	R 2 896,00
5.0mmØ	# 6901457	# 6901507	# 6901557	# 6901607	# 6901657	# 6901707
200mm	R 882,00	R 765,00	R 731,00		R 1 883,00	R 3 042,00
5.0mmØ	# 6901461	# 6901511	# 6901561	# 6901611	# 6901661	# 6901711
300mm	R 1 065,00	R 964,00	R 776,00		R 2 210,00	R 3 801,00
5.0mmØ	# 6901465	# 6901515	# 6901565	# 6901615	# 6901665	# 6901715
400mm	R 1 247,00	R 1 147,00	R 924,00		R 2 828,00	R 4 076,00
5.0mmØ	# 6901469	# 6901519	# 6901569	# 6901619	# 6901669	# 6901719
500mm	R 1 430,00	R 1 338,00	R 1 068,00		R 3 110,00	R 4 578,00
5.0mmØ	# 6901473	# 6901523	# 6901573	# 6901623	# 6901673	# 6901723
600mm	R 1 612,00	R 1 566,00	R 1 210,00		R 3 489,00	R 5 256,00
5.0mmØ	# 6901477	# 6901527	# 6901577	# 6901627	# 6901677	# 6901727
800mm	R 1 886,00	R 1 908,00	R 1 502,00		R 4 354,00	R 6 078,00
5.0mmØ	# 6901481	# 6901531	# 6901581	# 6901631	# 6901681	# 6901731
1000mm	R 2 251,00	R 2 324,00	R 1 796,00		R 4 948,00	R 6 374,00
5.0mmØ	# 6901485	# 6901535	# 6901585	# 6901635	# 6901685	# 6901735


• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure • GS Accessory radius = 450mm • Splice Sets are sold separately and not included in price • 4Ways are made to order and non-returnable •

When placing orders please use product code indicated by #


RF25 Returnflange - Mild Steel Pre-Galvanized (PG)

	3m Str	Hor	Int / Ext	Tee	4Way
100mm	R 486,00	R 172,00	R 168,00	R 218,00	R 286,00
1.0mm	# 9811802	# 9811805	# 9810806	# 9811807	# 9813899
150mm	R 573,00	R 205,00	R 186,00	R 253,00	R 343,00
1.0mm	# 9811803	# 9811808	# 9810809	# 9812114	# 9813634
200mm	R 659,00	R 243,00	R 204,00	R 292,00	R 407,00
1.0mm	# 9811804	# 9811810	# 9811811	# 9811812	# 9814538
300mm	R 967,00	R 335,00	R 239,00	R 380,00	R 562,00
1.2mm	# 9811814	# 9812100	# 9811816	# 9812101	# 9811815
400mm	R 1 174,00	R 457,00	R 287,00	R 494,00	R 762,00
1.2mm	# 9811817	# 9812480	# 9814532	# 9814535	# 9814539
500mm	R 1 534,00	R 588,00	R 322,00	R 613,00	R 981,00
1.2mm	# 9813068	# 9814530	# 9814533	# 9814536	# 9814540
600mm	R 1 750,00	R 740,00	R 357,00	R 746,00	R 1 226,00
1.2mm	# 9814529	# 9814531	# 9814534	# 9814537	# 9814541

Straight Thickness 1.0 up to 200mm, 1.2mm from 300mm. All accessories 1.2mm



Straight




Internal/External



Horizontal

RF25 Splice Set c/w Fasteners
R 51,00
9811823

RF50 Splice Set c/w Fasteners
R 58,00
9811882



RF50 Returnflange - Mild Steel Pre-Galvanized (PG)

	3m Str	Hor	Int / Ext	Tee	4Way
100mm	R 573,00	R 197,00	R 186,00	R 251,00	R 321,00
1.0mm	# 9811825	# 9812107	# 9811833	# 9811834	# 9811832
150mm	R 659,00	R 234,00	R 204,00	R 289,00	R 382,00
1.0mm	# 9811826	# 9811836	# 9811838	# 9811839	# 9811835
200mm	R 745,00	R 275,00	R 221,00	R 383,00	R 452,00
1.0mm	# 9811827	# 9812094	# 9811844	# 9811845	# 9812814
300mm	R 1 070,00	R 376,00	R 257,00	R 486,00	R 616,00
1.2mm	# 9811846	# 9813401	# 9811850	# 9811851	# 9812656
400mm	R 1 366,00	R 506,00	R 304,00	R 615,00	R 826,00
1.2mm	# 9811852	# 9811855	# 9811856	# 9811857	# 9812489
500mm	R 1 642,00	R 643,00	R 340,00	R 748,00	R 1 055,00
1.2mm	# 9811874	# 9811876	# 9811877	# 9811861	# 9812315
600mm	R 1 857,00	R 803,00	R 375,00	R 896,00	R 1 308,00
1.2mm	# 9813067	# 9812967	# 9812327	# 9812454	# 9812110

Straight Thickness 1.0 up to 200mm, 1.2mm from 300mm. All accessories 1.2mm

• Prices are List Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • RF Accessory Radius = 170mm Segmented • Splice Sets are sold separately and not included in price • 4Ways are made to order and non-returnable •

Multiskirt Powerskirting - Mild Steel Epoxy Powdercoated (EPC)

Description	MS1	MS2	MS3
Straight c/w full length covers	90 x 55	165 x 55	244 x 55
Supplied in 2.438m Lengths	R 599,00	R 1 042,00	R 1 653,00
Divider - 2.438m	R 126,00	R 126,00	R 126,00
90° Internal / Tee	R 120,00	R 136,00	R 160,00
90° External	R 132,00	R 152,00	R 178,00
90° Vertical Elbow c/w Cover	R 244,00	R 391,00	R 503,00
Vertical Tee c/w Cover	R 301,00	R 395,00	R 523,00
End Cap	R 72,00	R 88,00	R 103,00
Joiner Clip	R 44,00	R 58,00	R 71,00

Dimensions:

MS1 - 90mm (h) x 55mm (w)

MS2 - 165mm (h) x 55mm (w)

MS3 - 244mm (h) x 55mm (w)

Standard Colours:

Easter Oak
Carrier Beige
Hospital Grey
Luminaire White
Light Hammertone Grey



Internal / Tee



External



Vertical Elbow



Vertical Tee



Joiner Clip



End Cap



MS1



MS2




MS3

Outlet Covers

R 43,00



Compatible outlets refer to pg 16 - 17



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

OBO Rapid 45 - Polyvinylchloride (PVC)

Description	OBO1		OBO2		OBO2	
	GEK53100 - 100x53		GEK53130 - 130x53		GEK53165 - 165x53	
	White	Grey	White	Grey	White	Grey
2m Straight c/w Covers	R 352,00		R 494,00		R 596,00	
	# 6113000	# 6113002	# 6113200	# 6113202	# 6113400	# 6113402
2m Divider	R 76,00		R 76,00		R 76,00	
	# 6113290		# 6113290		# 6113290	
Joining Clip	R 18,00		R 18,00		R 18,00	
	# 6113020	# 6113022	# 6113210	# 6113212	# 6113020	# 6113022
Cover Joining Clip	R 25,00		R 25,00		R 25,00	
	# 6113030	# 6113032	# 6113030	# 6113032	# 6113030	# 6113032
External Clip-on Cover	R 124,00		R 153,00		R 175,00	
	# 6113050	# 6113052	# 6113230	# 6113232	# 6113420	# 6113422
Flat Angle Clip-on Cover	R 298,00		R 388,00		R 439,00	
	# 6113090	# 6113092	# 6113270	# 6113272	# 6113460	# 6113462
Internal Clip-on Cover	R 121,00		R 145,00		R 159,00	
	# 6113070	# 6113072	# 6113250	# 6113252	# 6113440	# 6113442
Clip-on T Piece	R 75,00		R 98,00		R 122,00	
	# 6113100	# 6113102	# 6113300	# 6113302	# 6113480	# 6113482
End Piece	R 36,00		R 42,00		R 48,00	
	# 6113110	# 6113112	# 6113280	# 6113282	# 6113470	# 6113472

- Rapid 45 Single and Double compartment is only compatible with Modular 45.
No outlet coverplates required. Outlet prices on pg 16-17.



External Clip-on Cover



Internal Clip-on Cover



Flat Clip-on Cover



Divider



Joining Clip



Cover Joining Clip



End Cap



Clip-on T Piece



OBO1
100mm x 53mm



OBO2
130mm x 53mm
165mm x 53mm



External Bend



Internal Bend



Flat Angle

*** Full bends available - price on request**

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •


When placing orders please use product code indicated by #

Premierskirt - Polyvinylchloride (PVC)

PM2 - 165mm x 55mm	Grey	White
2.5m Straight c/w Covers	R 625,00	
	# 6500755	# 6500757
Cover Joiner Clip	R 28,00	
	# 6500705	# 6500707
90° Internal / External Elbow	R 45,00	
	# 6500715	# 6500717
Vertical Elbow	R 409,00	
	# 6500735	# 6500737
Vertical Tee	R 358,00	
	# 6500745	# 6500747
End Cap	R 20,00	
	# 6500725	# 6500727

Outlet Covers
R 33,00

Compatible outlets refer to pg 16 - 17



PM2 Straight



Internal / External Elbow



End Cap




Vertical Tee



Vertical Elbow

Aluskirt - Natural Anodised Aluminium (NAA)



AL1



AL2

	AL1	AL2
3m Straight c/w Covers	R 1 866,00	R 3 420,00
90° Internal Elbow	R 630,00	R 747,00
90° External Elbow	R 630,00	R 747,00
End Plate	R 78,00	R 86,00

Splice	Price	Qty
Splice Plate	R 19,14	1
M4 x 12mm CHS	R 0,31	2
Dowel Pin	R 8,80	2
Splice Total	R 37,36	

Outlet Covers
R 125,00

Compatible outlets refer to pg 16 - 17

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

Powerpole

	3m	3.5m	4m
Natural Anodised Aluminium Core - Ø 57mm	R 1 064,00 # 6500030	R 1 242,00 # 6500035	R 1 419,00 # 6500040
PVC Covers (4x Required per core)	R 44,00 # 6500833 G # 6500835 B	R 53,00 # 6500837 G # 6500839 B	R 60,00 # 6500841 G # 6500843 B
1 Ceiling Flange	R 35,00 # 6500817 Grey # 6500819 Black		
2 Floor Location Pad	R 35,00 # 6500813 Grey # 6500815 Black		
3 Jack Assembly	R 73,00 # 6503553		
Complete Price	R 1 383,00	R 1 597,00	R 1 802,00

Complete Powerpole consists of:

1 x Core, 4 x PVC Covers, 1 x Ceiling Flange, 1 x Floor Location Pad, 1 x Jack Assembly



4 Outlet Box	R 92,00
5 Outlet Box Cover Kit	R 34,00 # 6500827 G # 6500829 B
6 Outlet Box Divider	R 6,00 # 6500823 G # 6500825 B
0.75m Extension	R 174,00 # 6503555



Compatible outlets refer to pg 16 - 17


Powermast

	3m	3.5m
Body	R 2 423,00 # 6500133	R 2 699,00 # 6500135
1200mm Covers (min 2x Required per body)	R 526,00 # 6500123	
Ceiling Flange	R 84,00 # 6500805	
Floor Location Pad	R 122,00 # 6500803	
Jack Assembly	R 69,00 # 6503553	
60mm Telescopic Extension	R 42,00 # 6500143	
Internal PVC Covers (OL8184 PVC)	R 82,00 # 6902137	
Internal PVC Covers (2x Powerpole Covers)	R 44,00 # 6500833	R 53,00 # 6500837
Complete Price	R 3 962,00	R 4 232,00

Outlet Cover Plate	R 88,00
600mm Cover	R 186,00 # 6500145
800mm Cover	R 248,00 # 6500147



Compatible outlets refer to pg 16 - 17



POWERPOLE

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

Legend:

Multiskirt* (pg 12)	Rapid 45 (pg 13)	Premierskirt* (pg 14)	Powerpole* (pg 15)	Powermast* (pg 15)	Underfloor (Pg 18 - 19)
------------------------	---------------------	--------------------------	-----------------------	-----------------------	----------------------------

* YOKE REQUIRED ON THESE RANGES FOR MODULAR 45

Modular 45									
16A SO Standard White		16A DED SO Dedicated Red		13A SO Standard White		16A Schucko Standard White		16A Slimline IEC164-2pin + E	
R 97,00	# 6120730	R 143,00	# 6120732	R 163,00	# 6120722	R 104,00	# 6117001	R 76,00	# 9813802
									
16A SSO Standard White		16A DED SSO Dedicated Red/Blue/Black		13A SSO Standard White		1/2 MOD Blank		1 MOD Blank	
R 153,00	# 6560000	R 174,00	# 6560002	R 191,00	# 6120724	R 19,00	# 9811229	R 44,00	# 6117406
									
Tel / Data Cradle Onesto - OPS-MA		RJ45 Module (Data) Onesto - ONMDAT		RJ11 Module (Tel) Onesto - ONMTEL		RJ45 Module OBO - CAT6		RJ45 Snap-in Module OBO - CAT6	
R 19,00	# 9811230	R 81,00	# 9811225	R 50,00	# 9811231	R 302,00	# 6117341	R 353,00	# 6117349
									
Tel / Data Cradle Onesto - OPS-MA		RJ45 Module (Data) Onesto - ONMDAT		RJ11 Module (Tel) Onesto - ONMTEL		RJ45 Module OBO - CAT6		RJ45 Snap-in Module OBO - CAT6	
R 1 059,00	# 6105291	R 55,00	# 9811223	R 143,00	# 9813873	R 21,00	# 9813800	R 62,00	# 9812321
									
USB 3.0 Single Connection		VGA Single Female Connection		RCA 3 x Female Connections		Twin Shuttered Housing OBO - RJ11 / RJ45		RJ11 / RJ45 Universal (CAT6, not modular 45)	
R 1 011,00	# 6104874	R 868,00	# 6104610	R 688,00	# 6105162	R 106,00	# 6119214	R 122,00	# 9811937
									
USB 3.0 - Slanting Single Connection		VGA - Slanting Single Female Connection		RCA - Slanting 3 x Female Connections		Twin Shuttered Housing OBO - RJ11 / RJ45		HDMI - Slanting Single Connection	
R 1 011,00	# 6104886	R 868,00	# 6104622	R 688,00	# 6105174	R 106,00	# 6119298	R 1 011,00	# 6104814
									

























• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

Legend:

Multiskirt* (pg 12)	Rapid 45 (pg 13)	Premierskirt* (pg 14)	Powerpole* (pg 15)	Powermast* (pg 15)	Underfloor (Pg 18 - 19)
------------------------	---------------------	--------------------------	-----------------------	-----------------------	----------------------------







* YOKE REQUIRED ON THESE RANGES FOR MODULAR 45

Crabtree Classic									
16A SSO White 6896H		16A SSO Red 6896H		16A SSO White 6896		16A SSO Red 6896D		13A SSO White 4556H	
R 120,00	# 6560010	R 190,00	# 6560012	R 120,00	# 6560014	R 190,00	# 6560016	R 287,00	# 6560018
									
5A SO 1430		20A DPI 2460		20A DPI & Cordgrip 2435 / 2460 / 6894		30A DPI 1180W		60A TPI 1185W	
R 54,00	# 9810104	R 181,00	# 6560040	R 290,00	# 6560030	R 164,00	# 6560042	R 272,00	# 6560044
									
Clipsal									
16A SSO White ML2002		16A SSO Red ML2003		2MOD Cradle ML1005		Cordgrip Module 38HDWE		20A DP Switch 30MD20WE	
R 181,00	# 6560060	R 284,00	# 6560062	R 65,00	# 6560080	R 220,00	# 9811939	R 233,00	# 9811938
									
Single Unshuttered Housing		30 Mech Adaptor Clip 40MA30MWE		30 Mech Blank 30PWE		Single Unshuttered Housing + 30 Mech Adaptor Clip + 30 Mech Blank			
R 95,00	# 6119310	R 44,00	# 9811941	R 19,00	# 9812888				
									
Modular 45									
Cee Cee GT2 Plug Connection		CEE 16A 5PIN		CEE 32A 5PIN		Fine Power Protection Visual Signal		Fine Power Protection Audible Signal	
R 1 087,00	# 7407665	R 496,00	# 6109874	R 863,00	# 6109876	R 848,00	# 6117473	R 1 143,00	# 6117465
									

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •






When placing orders please use product code indicated by #






UNDERFLOOR SYSTEMS

GES4		GES6	
R 688,00		R 825,00	
# 7405145		# 7405321	
222 x 222 x 65		274 x 221 x 65	
UDS4		UDS6	
Underfloor box for conduits and metal duct trunking		Underfloor box for conduits and metal duct trunking	
R 1 443,00		R 1 443,00	
# 7400349		# 7400351	
Underfloor box for PVC trunking		Underfloor box for PVC trunking	
R 1 443,00		R 1 443,00	
# 7400348		# 7400350	
MT3		MT3 with housing	
R 85,00		R 129,00	
# 7429150		# 7429131	

2 required for GES4 & 3 required for GES6

2 required for GES4 & 3 required for GES6

GRAF9		Underfloor Junction Box UZD 350-3	
R 8 944,00		R 2 605,00	
# 7405746		# 7410034	
Outside diameter 325mm Ø		467 X 510	
MT4		Screed height - 70 to 125mm	
R 96,00		Heavy Duty Mounting Lid	
# 7429154		R 2 068,00	
MT4 with housing		# 7401416	
R 147,00		4 x M10x40mm Hex Set Screw required per lid	
# 7429135		R 3.28 ea	
		# 6911040	

UDHome4 2V		UDHome2 BV	
R 7 587,00		R 3 397,00	
# 7427248		# 7427021	
Underfloor Box with floor covering recess		Underfloor Box with stainless steel lid	
Supplied complete with 1 x 16A SSO		UDHome2 V	
205 x 205		R 4 288,00	
Screed height - 95 to 110mm		# 7427022	
		Underfloor Box with floor covering recess	
		Supplied complete with 1 x 16A SSO	
		125 x 125	
		Screed height - 95 to 115mm	

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

GES R2 with Handle	
Nickel	R 2 014,00 # 7408860
Chrome	R 2 014,00 # 7408866
Brass	R 2 582,00 # 7408862
Copper	R 2 582,00 # 7408864
Outside Diameter 140 Ø	



Nickel - with locking slider



Brass- with locking slider



Mounting plate - 2x Data/Tel



Mounting support for outlets

GES R2 with Locking slider	
Nickel	R 1 508,00 # 7408850
Chrome	R 1 508,00 # 7408856
Brass	R 2 142,00 # 7408852
Copper	R 2 142,00 # 7408854
Outside Diameter 140 Ø	



Copper - with handle



Chrome - with handle

Supports for GES R2	
1.5 x Modul 45	R 389,00 # 7408836
2 x 1 Modul 45	R 389,00 # 7408838
2 x Data/Tel	R 140,00 # 7408806
Screed Box	R 1 723,00 # 7428526
205 x 180	
Screed height - 85 - 130mm	



Screen box


PVC Underfloor Ducting Systems



DU 6025 - 60x25	
3m Straight	R 171,00 # 7425900
Connector	R 17,00 # 7425910
Fastening Clamp	R 240,00 # 7428342
Horizontal Bend	R 419,00 # 7425920
Vertical Bend	R 621,00 # 7425935

DU 9035 - 90x35	
3m Straight	R 267,00 # 7425902
Connector	R 27,00 # 7425912
Fastening Clamp	R 240,00 # 7428340
Horizontal Bend	R 437,00 # 7425925
Vertical Bend	R 638,00 # 7425940

EUK Metal Underfloor Ducting Systems



Dimensions:
A: 90mm
B: 70mm
C: 90mm
Height: 38mm
Total Width: 250mm
Length: 2m

EUK Metal Duct	
2m Straight	R 1 880,00 # 7400328
Connector	R 142,00 # 7400968
End Closure	R 236,00 # 7404006
Vertical Bend	R 1 367,00 # 7400648

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •


When placing orders please use product code indicated by #

Cottage Pedestal - Epoxy Powdercoated in standard

	FFD2	FFD3
Single Cottage Pedestal	R 192,00	R 231,00


Outlet Covers
R 38,00

Compatible outlets refer to pg 16 - 17



Compact Miniature Trunking - Polyvinylchloride (PVC)

2m	YT/1 16x16	R 24,30 # 6504102
	YT/2 25x16	R 40,63 # 6504103
3m	YT/3 40x16	R 68,45 # 6504104
	YT/4 40x25	R 85,57 # 6504105
	YT/5 40x40	R 94,19 # 6504106
	NBT/4 100x40	R 272,50 # 6504110
	NBT/4 Twin 100x40	R 307,00 # 9812374



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

Supermarket Powerpost - 3.5m	
Complete with knockouts: 6x DIN Isolator Top Hat Brackets & 6 x DIN Rail Clips, 3.5m Cover with 6 x Insulator KO, ceiling flange.	R 3 973,00 # 6507019

Supermarket Trunking - 3m	
Complete with knockouts: 6 x CT 16A SSO, 4 x Insulator, 4 x 32A and 5 x Pin Panel Sockets. Socket Outlets not supplied.	R 2 948,00 # 6504013
Splice	R 83,00 # 6504015
End Cap	R 122,00 # 6504005
1m Riser c/w Cover	R 616,00 # 6504017
90° Internal Bend	R 788,00 # 6504009
Hanger	R 241,00 # 6504007
3m Channel no knockouts	R 1 342,00 # 6504011

Finish: mild steel Epoxy Powdercoated Luminaire White



Splice



3m Straight c/w KO



90° Internal Bend



End Cap




Hanger



3m Straight no KO





















Powerpost



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •









When placing orders please use product code indicated by #

T Series Open Entry			T Series Closed Entry			A Series		
T25			T40 OE			A14		
R 23,00	# 2007029	Light Grey	R 28,00	# 2007223	Light Grey	R 51,00	# 2000382	Light Grey
R 23,00	# 2007509	White	Price per each No Entries 90x90x52mm IP55			Price per each No Entries 90x90x52mm IP55		
								
T40			T60 OE			A14		
R 27,60	# 2007045	Light Grey	R 57,00	# 2007239	Light Grey	R 27,00	# 2000378	Light Grey
R 27,60	# 2007517	White	Price per each No Entries 114x114x57mm IP66			Price per each No Entries 114x114x57mm IP66		
								
T60			T100 OE			A18		
R 57,00	# 2007061	Light Grey	R 105,00	# 2007255	Light Grey	R 53,00	# 2000414	Light Grey
R 57,00	# 2007525	White	Price per each No Entries 150x116x67mm IP66			Price per each No Entries 150x116x67mm IP66		
								
T100			T160 OE			A18		
R 105,00	# 2007077	Light Grey	R 135,00	# 2007271	Light Grey	R 31,00	# 2000410	Light Grey
Price per each 10 x M25 150x116x67mm IP66			Price per each No Entries 190x150x77mm IP66			Price per each No Entries 190x150x77mm IP66		
								
T160			T250 OE			Fastening Element for Tray		
R 135,00	# 2007093	Light Grey	R 189,00	# 2007287	Light Grey	R 36,00	# 2007835	For Cable Tray
Price per each 7 x M25 5 x M32 190x150x77mm IP66			Price per each No Entries 240x190x95mm IP66			R 36,00	# 2007833	For Wiremesh Tray
						Price per each No Entries 240x190x95mm IP66		
T250			T350 OE					
R 189,00	# 2007109	Light Grey	R 568,00	# 2007303	Light Grey			
Price per each 9 x M25 7 x M32 240x190x95mm IP66			Price per each No Entries 285x201x120mm IP66					
								
Terminal Strip								
R 34,00	# 2017342	Light Grey						
Price per each Nominal Cross-section 0.8 - 2.5mm ² Nominall Voltage: 660 V 5 Screwless Terminals								

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •




When placing orders please use product code indicated by #

VBS

Mx Series - Aluminium Powdercoated RAL7035 (Grey)								
Mx08			Mx12			Mx15		
R 403,00	# 2011308	RAL7035	R 563,00	# 2011312	RAL7035	R 1 102,00	# 2011316	RAL7035
Price per each No Entries 80x75x57mm - 40°C to + 125°C			Price per each No Entries 125x80x57mm			Price per each No Entries 150x100x80mm		
								
Mx16			Mx24			Mx36		
R 1 925,00	# 2011320	RAL7035	R 2 423,00	# 2011328	RAL7035	R 3 334,00	# 2011332	RAL7035
Price per each No Entries 160x160x90mm			Price per each No Entries 240x160x100mm			Price per each No Entries 360x160x90mm		
								




New Universal Screwless Terminals





2-pole			3-pole			5-pole		
R 6,00	# 2054450	Transparent	R 8,00	# 2054454	Transparent	R 11,00	# 2054458	Transparent
Price per each 			Price per each 			Price per each 		

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •


When placing orders please use product code indicated by #


OBO Anchor			
			
Length (L) mm	Price per Pack	Prod Code	Pack Qty
M6 x 23	R 190,00	# 3100154	100
M6 x 26	R 195,00	# 3100189	100
M6 x 33	R 220,00	# 3100251	100
M6 x 38	R 235,00	# 3100308	100
M6 x 48	R 258,00	# 3100405	100
			
Length (L) mm	Price per Pack	Prod Code	Pack Qty
21	R 292,00	# 3105016	200
24	R 300,00	# 3105024	200
30	R 364,00	# 3105032	200
Flattener			
			
		Price Per Each	Prod Code
With hand protection		R 1 189,00	# 3031500
Flattener		R 444,00	# 3031012


Knock-in Anchor			
			
Length (L) mm	Price per Pack	Prod Code	Pack Qty
M5 x 35	R 192,00	# 2351021	100
M6 x 35	R 241,00	# 2351056	100
M6 x 40	R 255,00	# 2351064	100
M8 x 55	R 288,00	# 2351099	50

Plasterboard Anchor			
			
Length (L) mm	Price per Pack	Prod Code	Pack Qty
30	R 791,00	# 3483214	100

Quick Clip - PVC Light Grey			
			
Type / Size	Price per Pack	Prod Code	Pack Qty
M20	R 146,00	# 2149010	100
M25	R 230,00	# 2149016	100
M32	R 186,00	# 2149022	50
M40	R 236,00	# 2149028	50
M50	R 207,50	# 2149034	25

Pressure Clip - PVC Light Grey			
			
Type / Size	Price per Pack	Prod Code	Pack Qty
8 Cable	R 390,00	# 2205017	50
10 Cable	R 429,50	# 2205041	50
16 Cable	R 332,50	# 2205033	25
Spacer	R 200,00	# 2205092	100

Grip Cable Tidy - PVC			
			
Type / Size	Price per Pack	Prod Code	Pack Qty
Grip 10	R 1 338,50	# 2205398	50
Grip 20	R 1 372,00	# 2205404	50
Grip 40	R 926,50	# 2205416	25

Grip M Cable Tidy - EG			
			
Type / Size	Price per Pack	Prod Code	Pack Qty
Grip M 15	R 594,00	# 2207028	50
Grip M 30	R 504,25	# 2207036	25
Grip M 70	R 1 547,00	# 2207060	10

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

New Separable Cable Gland



Short Thread - Metric



Thread	Cable Gland			Locknut		
	Price per Pack	Prod Code	Pack Qty	Price per Pack	Prod Code	Pack Qty
M12 x 1.5	R 441,00	# 2022862	50	R 213,00	# 2048906	100
M16 x 1.5	R 484,00	# 2022864	50	R 221,00	# 2048914	100
M20 x 1.5	R 573,00	# 2022866	50	R 284,00	# 2048922	100
M25 x 1.5	R 483,00	# 2022868	25	R 327,00	# 2048930	100
M32 x 1.5	R 610,00	# 2022870	20	R 332,00	# 2048949	50
M40 x 1.5	R 541,00	# 2022872	10	R 236,50	# 2048957	25
M50 x 1.5	R 414,00	# 2022874	5	R 461,00	# 2048965	25
M63 x 1.5	R 479,00	# 2022876	5	R 612,00	# 2048973	25

Short Thread - PG



Thread	Cable Gland			Locknut		
	Price per Pack	Prod Code	Pack Qty	Price per Pack	Prod Code	Pack Qty
PG 7	R 440,00	# 2024705	50	R 274,00	# 2048078	100
PG 9	R 486,00	# 2024713	50	R 281,00	# 2048094	100
PG 11	R 526,50	# 2024721	50	R 294,00	# 2048116	100
PG 13.5	R 573,00	# 2024748	50	R 312,00	# 2048132	100
PG 16	R 403,50	# 2024756	25	R 434,00	# 2048167	100
PG 21	R 576,00	# 2024764	25	R 550,00	# 2048221	100
PG 29	R 686,00	# 2024772	20	R 403,00	# 2048299	50
PG 36	R 1 443,00	# 2024780	10	R 446,50	# 2048361	25
PG 42	R 790,00	# 2024799	5	R 520,00	# 2048426	25
PG 48	R 833,50	# 2024802	5	R 597,00	# 2048485	25

Separable Gland, Closed



Thread	Price per unit	Prod Code	Pack Qty
M25 x 1.5	R 491,00	#2024910	1

Separable Gland, 1 Cable



Sealing Area D mm	Price per unit	Prod Code	Pack Qty
M7 - 10.5	R 475,00	# 2024913	1
M9 - 13	R 475,00	# 2024916	1
M11.5 - 15.5	R 475,00	# 2024919	1
M14 - 18	R 475,00	# 2024922	1
M17 - 20.5	R 475,00	# 2024925	1

Separable Gland, Multiple Cable



Thread	Price per unit	Prod Code	Pack Qty
M25 x 1.5	R 634,00	# 2024928	1
M25 x 1.5	R 534,00	# 2024931	1

Spreading Pliers



Price per Each	Prod Code	Pack Qty
R 3 655,00	# 2024900	1

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

PRICES ON REQUEST

TRANSIENT AND LIGHTNING PROTECTION SYSTEMS

Equipotential Bonding Systems

- Safe Contacts: Series Terminals made from Steel, ElectroGalvanised, Screw Secure Tension Clips (A Safety Requirements in Industrial and Explosions Prone Areas)

1) Equipotential Bonding Rails For Indoor Use

2) Equipotential Bonding Rails For Outdoor Use

- UV Protected

3) Equipotential Bonding Rails For Industrial Use

- Cross Sections up to 200mm²

4) Strip Earthing Clips

5) Earthing Clips

1



2



3



4



5



Protected



Surge Protection Systems

1) Lightning Arrestor / Type 1

- Up to 150kA (10/350) Conductivity
- Protected up to 500A
- Fail-Safe Operation through Patented Quick Release

2) Combination Arrestor / Type 1 + 2

- Up to 50kA (10/350) Conductivity

3) Surge Arrestor / Type 2

- Up to 40kA (8/20) Conductivity

4) Combination Surge Arrestor / Type 2 + 3

- Up to 10kA (8/20) Conductivity

5) Fine Power / Type 3 Protection

- Surge Protection for Data Equipment up to 10 Gbit

6) Spark Gaps

- Explosion Protected

7) Solar And Wind Farm Protection

- Low DC Protection Level < 4.0 kV (UOC Max.= 100 V DC) for Solar
- Type 2 Surge Protection or Type 1 + 2 for Solar

1



2



3



4



5



6



7



Products conform to the requirements according to IEC

TRANSIENT AND LIGHTNING PROTECTION SYSTEMS

TBS

Air Termination And Down Conductor Systems

- Around 1500 Different Products;
- Weatherproof;
- Adjustable Holders;
- Diverse Materials: Such as ten different types of Terminals

- 1) Interception System
- 2) Roof Cable Holders
- 3) Cable Brackets
- 4) Connection Clamps and Connection Terminals

1



2



3



4



Protected

Earthing Systems


- Highly Corrosion Resistant;
- Quick To Install Using Inergrated Coupling System (No Connectors, Secure Contact With Ground)
- Different Versions Available: Solid Tube, Cross And Plate Materials

- 1) Cable Materials (Aluminium, Copper, Stanless steel, Hot-Dip Galvanised)
- 2) Deep Earther and Plate Earther
- 3) Connection Material
- 4) Accessories and Holders (Earthing enhancing compounds)

1



2



3



4



Products conform to the requirements according to IEC

ISCON®

isCon®

isCon® can safely master air separation distances of 0.75 m – in accordance with VDE 0185-305-3 (IEC 62305-3)

- Universal: simple termination on the construction site
- Conforms to the standard: cross-section of 35 mm² copper
- Tested: 0.75 m separation distance and up to 150 kA lightning current (FZC II) per arrester
- Environmentally friendly: halogen-free



Quickly and simply installed

The 080 isFang modular interception rod system can offer a fast and freely terminable solution for insulated interception rod systems, as well as high interception rods for the largest possible protection angle.

Insulated variant

The insulated interception rods protect electrical and metallic roof structures, taking the calculated separating distance (s), according to VDE 0185-305-3 (IEC 62305-3), into account. An insulated section of 1.5 metres made of fibreglass reinforced plastic (GFK) ensures sufficient distance to all roof structures. Even complex building structures can be protected by the comprehensive system accessories.

Aluminium variant

The 3-part interception rods of between 4 and 8 metres and made of aluminium complement the conventional interception system made of interception rod and block, which is used for heights of up to 4 metres. Various brackets for mounting on walls, pipes and corner pipes, as well as two tripod stands with different spreading widths, are available to fasten the various interception rods.

**On top of everything:
The isFang interception rod system**



When placing orders please use product code indicated by #

Olistrut, Combination & Concrete Anchor Channels - Mild Steel Hot-Dip Galvanized (HDG)



Product	OL1000	OL1001	OL1000T/14 Slotted	OL41/S Anchor
	Single	Double	14x28mm pierced slots @ 50mm centres	8mm Steel lugs welded @ 200mm centres
Straight	R 1 227,00	R 2 640,00	R 1 509,00	R 2 451,00
	# 1500400	# 1500402	# 1500404	# 1500406
Size	41x41	41x82	41x41 - Slotted	41x41
Thickness	2.5mm			
Length	6m			

Angle Iron / U Channel - Mild Steel Hot-Dip Galvanized (HDG)

Size	25x25x3mm	40x40x5mm	50x50x5mm	76x38	100x50
Straight	R 534,00	R 1 365,00	R 1 755,00	R 3 000,00	R 4 700,00
	# 9810026	# 9810036	# 9810039	# 9810031	# 9810038
Size	25x25	40x40	50x50	76x38	100x50
Thickness	3mm	5mm	5mm	4.8mm	4.8mm
Length	6m				

Beam Clamps

OL1271	
R 72,00	
# 6910551	
M12 Cone Point	
R 8,80	
# 6911322	
Total	R 80,80
OL1272	
R 26,00	
# 6910552	
M10 Cone Point	
R 6,00	
# 6911161	
Total	R 32,00
OL1796	
R 54,40	
# 6910556	
M12 Cone Point	
R 8,80	
# 6911322	
Total	R 63,20

OL2785		OL2785	
R 72,00	# 6500757	R 89,00	# 9814524
to fit OL1000 - 41x41		to fit OL1001 - 41x82	

OL2072 S1		OL2073 A	
R 93,00	# 6910502	R 175,90	# 6910503

Cold Galv	
400ml Spray	500g Paint
R 392,00	R 446,50
# 9813359	# 6902399

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #

CANTILEVER BRACKETS

OL254 Single	
150mm	R 104,00
	# 6910003
200mm	R 117,00
	# 6910005
250mm	R 131,00
	# 6910007
350mm	R 155,00
	# 6910009
450mm	R 196,00
	# 6910011
550mm	R 223,00
	# 6910013
650mm	R 249,00
	# 6910015

OL223 Single	
150mm	R 94,00
	# 6910103
200mm	R 114,00
	# 6910105
250mm	R 129,00
	# 6910107
350mm	R 155,00
	# 6910109
450mm	R 191,00
	# 6910111
550mm	R 222,00
	# 6910113
650mm	R 248,00
	# 6910115

OL254 Staggered	
650mm	R 342,00
250mm	# 6910055
850mm	R 410,00
300mm	# 6910057
1050mm	R 473,00
350mm	# 6910059

OL254 Double	
650mm	R 446,00
	# 6910075
850mm	R 553,00
	# 6910077
1050mm	R 659,00
	# 6910089

RF Arm	
200mm	R 52,00
	# 6910403
250mm	R 58,00
	# 6910405
350mm	R 74,00
	# 6910407
450mm	R 93,00
	# 6910409



Condenser Brackets

OL254 1.6 Slotted Arm	
OL254 450mm HDG	
R 125,00	# 9814254
OL254 650mm HDG	
R 156,00	# 9814256
OL254 450mm E/Oak	
R 118,00	# 9814255
OL254 650mm E/Oak	
R 148,00	# 9814257

To install a condenser set, the following is required:

2x Cantilever Arms
2x OL1000T/14 x 300mm Lengths
4x M12 Long Springnuts
4x M12 x 30mm Hex Set Screw

Accessories	
OL1000T/14 300mm HDG	
R 87,50	# 1500013
OL1000T/14 300mm E/Oak	
R 81,50	# 1500025
M12 Long Springnut	
R 5,47	# 6911332
M12 x 30mm Hex Set Screw	
R 4,05	# 9811230


Condenser and fastener sets not made up, items to be purchased separately.

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure

When placing orders please use product code indicated by #

FASTENERS

Hex Set Screw	M6	M8	M10	M12
20mm	R 0,65 # 6910620	R 1,25 # 6910820	R 2,25 # 6911020	R 3,30 # 6911212
25mm	R 0,75 # 6910625	R 1,45 # 6910825	R 2,50 # 6911025	R 3,70 # 6911225
30mm	R 0,85 # 6910630	R 1,60 # 6910830	R 2,90 # 6911030	R 4,05 # 6911230
35mm	R 0,90 # 6910635	R 1,75 # 6910835	R 3,05 # 6911035	R 4,50 # 6911230
40mm	R 1,05 # 6910640	R 1,90 # 6910840	R 3,30 # 6911040	R 4,80 # 6911240
45mm	R 1,10 # 6910645	R 2,10 # 6910845	R 3,60 # 6911045	R 5,30 # 6911245
50mm	R 1,20 # 6910650	R 2,30 # 6910850	R 3,80 # 6911050	R 5,60 # 6911250
55mm	R 1,30 # 6910655	R 2,50 # 6910855	R 4,10 # 6911055	R 6,00 # 6911255
60mm	R 1,50 # 6910660	R 2,60 # 6910860	R 4,70 # 6911060	R 6,40 # 6911260
Hex Nut	R 0,25 # 6910676	R 0,60 # 6910878	R 1,25 # 6911081	R 1,82 # 6911272
Spring Nut Short	R 4,40 # 6910776	R 5,05 # 6910979	R 5,10 # 6911181	R 5,45 # 6911342
Spring Nut Long	R 4,40 # 6910766	R 5,05 # 6910978	R 5,10 # 6911171	R 5,45 # 6911332
Coupling Nut	R 3,45 # 6910756	R 4,20 # 6910958	R 6,65 # 6911151	R 10,65 # 6911312
Flat Washer	R 0,10 # 6910686	R 0,15 # 6910888	R 0,26 # 6911090	R 0,45 # 6911282
Spring Washer	R 0,10 # 6910696	R 0,12 # 6910898	R 0,25 # 6911100	R 0,36 # 6911292
Fender Washer	R 0,75 # 6910706	R 0,95 # 6910908	R 1,45 # 6911111	R 1,50 # 6911302
Drop-In Anchor	R 2,15 # 6910796	R 2,50 # 6910996	R 4,30 # 6911199	R 9,25 # 6911362
Rawl Bolt	R 5,85 # 9810450	R 8,80 # 9810456	R 16,00 # 9812539	R 22,60 # 9812373
Threaded Rod 3m Lengths	R 43,00 # 6910786	R 74,30 # 6910988	R 106,00 # 6911191	R 144,00 # 6911352
Gutterbolt & Nut 16mm	R 1,06 # 6910716	n/a	n/a	n/a
Gutterbolt & Nut 20mm	R 1,15 # 6910720	n/a	n/a	n/a
Gutterbolt & Nut 25mm	R 1,25 # 6910725	n/a	n/a	n/a
Cup Sq Bolt & Nut 16mm	R 1,30 # 6910746	n/a	n/a	n/a
Round Head Sq Neck Bolt & Nut 16mm	n/a	R 2,30 # 6910968	n/a	n/a
Dome Head Slotted B&N 20mm	n/a	n/a	R 4,95 # 6911141	n/a
Cone Point Screw 45mm	n/a	n/a	R 6,00 # 6911161	R 8,80 # 6911322



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge •

When placing orders please use product code indicated by #










Angular Fittings

Mild Steel Hot-Dip Galvanized (HDG)

OL1026	R 18,50	OL1068	R 18,20	OL1331	R 81,00	OL1325	R 35,40
	# 1500326 47x51x6 Ø14mm		# 9810704 41x58x6 Ø14mm		# 1500351 89x105x6 Ø14mm		# 1500345 89x105x6 Ø14mm
OL1130 / OL1131		OL1130	R 104,00	OL1332	R 81,00	OL1326	R 27,70
		A 168mm	# 1500330		# 9810725		# 1500346
		B 102mm					
		OL1131	R 147,00		64x77x6 Ø14mm 45°		41x105x6 Ø14mm
		A 219mm	# 1500331				
		B 152mm		OL1546	R 27,40	OL1747	R 32,90
			R 27,00 # 1500335		# 1500355		# 1500357
		64x77x6 Ø14mm 45°		55x72x6 Ø14mm 45°		66x98x6 Ø14mm 38mm Slot	

Flat Fittings

Mild Steel Hot-Dip Galvanized (HDG)

OL1062	R 8,30	OL1063	R 8,30	OL1064	R 8,30
	# 1500162 40x40x6 for M8 Bolt		# 1500163 40x40x6 for M10 Bolt		# 1500164 40x40x6 for M12 Bolt
OL1036	R 39,20	OL1031	R 53,90	OL1028	R 84,60
	# 1500136 89X89 Ø14mm		# 1500131 89X137 Ø14mm		# 1500128 137X137 Ø14mm
OL1065	R 16,90	OL1066	R 25,80	OL1067	R 35,20
	# 1500165 40X89 Ø14mm		# 1500166 40X137 Ø14mm		# 1500167 185X40 Ø14mm

'U' and 'Z' Fittings

Mild Steel Hot-Dip Galvanized (HDG)

OL1047	R 45,80	OLZB05/1	R 6,20	OLZB05/2	R 6,20	OLZB05/3	R 6,20
	# 1500247 41x43x137 Ø14mm		# 1500258 40x40x6 7mm lip for M8 Bolt		# 1500262 40x40x6 7mm lip for M10 Bolt		# 1500264 40x40x6 7mm lip for M12 Bolt

METAL FRAMING



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure •

When placing orders please use product code indicated by #

PIPE & CABLE CLAMPS



2-Piece Pipe / Cable Clamp				
Product	Code	Price Excl Bolt & Nut	Bolt & Nut	Price Incl Bolt & Nut
OL2026 11.5-13.5	# 1500903	R 13,20	M6 x 20mm Gutterbolt & Nut	R 14,35
OL2027 13-17	# 1500907	R 13,30		R 14,45
OL1111 19-23	# 1500915	R 13,90	# 6910720	R 15,05
OL2030 21-30	# 1500919	R 16,00	R 1,15	R 17,15
OL1112 24-30	# 1500923	R 16,00	M6 x 25mm Gutterbolt & Nut	R 17,25
OL1113 31-36	# 1500927	R 17,00	# 691075	R 18,25
OL1114 38-44	# 1500931	R 17,60	R 1,25	R 18,85
OL1115 43-57	# 1500935	R 18,10	M8 x 35mm Hex Set Screw	R 20,45
OL1117 54-70	# 1500943	R 23,00	# 6910835 R 1,75	R 25,35
OL1118 71-85	# 1500951	R 23,80	M8 Hex Nut	R 26,15
OL1119 87-95	# 1500955	R 25,40	# 6910878 R 0,60	R 27,75
OL1120 99-110	# 1500959	R 27,00	M10 x 50mm Hex Set Screw	R 32,05
OL1121 110-122	# 1500963	R 30,00	# 6911050 R 3,80	R 35,05
OL1122 116-140	# 1500967	R 31,90	M10 Hex Nut	R 36,95
OL1123 135-145	# 1500971	R 33,10	# 6911081 R 1,25	R 38,15
OL1124	# 1500975	R 36,40	M10 x 60mm Hex Set Screw	R 42,35
OL1125	# 1500979	R 39,50	# 6911060 R 4,70	R 45,45
OL1126	# 1500983	R 42,40	M10 Hex Nut	R 48,35
OL1127	# 1500987	R 47,00		R 52,95
OL1129	# 1500991	R 50,00	R 1,25	R 55,95

SS Series	
SS21 21mm	R 12,50 # 9811947
SS27 27mm	R 13,70 # 9811949
SS34 34mm	R 15,20 # 9812065
SS42 42mm	R 17,30 # 9811952
SS48 48mm	R 23,10 # 9811955
SS60 60mm	R 25,10 # 9811956
SS76 76mm	R 30,20 # 9811957
SS89 89mm	R 65,20 # 9811958
SS101 101mm	R 69,50 # 9812523
SS114 114mm	R 72,50 # 9812524
SS140 140mm	R 81,90 # 9812784
SS173 173mm	R 107,70 # 9811945

Mild Steel Hot-Dip Galvanized (HDG)

OL2246 Series	
OL2246/20 60mm	R 20,60 # 9810794
OL2246/25 76mm	R 22,80 # 9810795
OL2246/30 89mm	R 25,60 # 9810796
OL2246/50 140mm	R 45,60 # 9810799
OL2246/60 166mm	R 51,80 # 9810801
OL2246/70 190mm	R 57,90 # 9810802
OL2246/80 219mm	R 80,70 # 9810803

Mild Steel Hot-Dip Galvanized (HDG)



2-Piece Pipe/Cable Clamp



OL2246 Pipe Clamp



SS Pipe Clamp

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure

When placing orders please use product code indicated by #

OL75 Series	
OL75/15	R 11,10
21mm	# 9810907
OL75/20	R 11,30
27mm	# 9810909
OL75/25	R 11,60
34mm	# 9812098
OL75/30	R 11,90
42mm	# 9810913
OL75/40	R 12,60
48mm	# 9810914
OL75/50	R 13,20
60mm	# 9810915
OL75/60	R 20,60
76mm	# 9810916
OL75/80	R 24,00
89mm	# 9810917
OL75/100	R 27,00
114mm	# 9810905

Mild Steel Pre-Galvanized (PG)

OL2239 Series	
OL2239/25	R 91,70
76mm	# 9810789
OL2239/40	R 121,30
114mm	# 9810791

Mild Steel Hot-Dip Galvanized (HDG)
M12 Hex Set Screw & Nut included in price

Trefoil Clamp - OLTCC01	
OLTCC01/45	R 131,00
39-45mm	# 1500545
OLTCC01/51	R 137,00
46-51mm	# 1500551
OLTCC01/59	R 139,00
52-59mm	# 1500559
OLTCC01/70	R 144,00
60-70mm	# 1500570
OLTCC01/75	R 144,00
70-75mm	# 1500575

Mild Steel Hot-Dip Galvanized (HDG)

Price Includes:

2x M10 x 20mm HSS
2x M10 Hex Nut
4 x M10 Flat Washers
Cadmium Plated



OL75 Series

UNI Clamp	
16mm	R 21,00
12mm to 16mm	# 1160062
22mm	R 22,00
16mm to 22mm	# 1160064
28mm	R 24,00
22mm to 28mm	# 1160066
34mm	R 27,00
28mm to 34mm	# 1160068
46mm	R 30,00
40mm to 46mm	# 1160072
58mm	R 36,00
52mm to 58mm	# 1160076
70mm	R 38,00
64mm to 70mm	# 1160080
82mm	R 43,00
76mm to 82mm	# 1160084

Mild Steel Hot-Dip Galvanized (HDG)



OL2239 Series



UNI Clamp

Trefoil Clamp - OLTCC02	
OLTCC02/30	R 55,35
30mm	# 1500630
OLTCC02/37	R 64,69
37mm	# 1500637
OLTCC02/43	R 74,93
43mm	# 1500643
OLTCC02/48	R 79,35
48mm	# 1500648
OLTCC02/53	R 84,43
53mm	# 1500653
OLTCC02/63	R 87,00
63mm	# 1500663

Natural Anodised Aluminium (NAA)

Price Includes:

2x M8 x 20mm HSS
2x M8 Hex Nut
4 x M8 Flat Washers
Cadmium Plated



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure

PRODUCTS ARE IMPORTED ON REQUEST ONLY

FIRST PROTECTION AIM

MAINTENANCE OF THE FIRE SECTIONS

Special requirements

The following requirements apply to cable penetrations with cable insulation:

- The spread of fire and smoke must be prevented.
- Room closure must be guaranteed.
- On the side of the insulation away from the fire, the surfaces of cables, pipes, cable support systems and the surface of the insulation may not heat up to an impermissible level.



SECOND PROTECTION AIM

PROTECTION OF ESCAPE ROUTES

In the area of emergency and escape routes, an installation may not pose an additional fire load. This requirement can be fulfilled using an appropriate type of installation:

- Concealed installation
- Installation in fire protection duct systems
- Installation above suspended fire protection ceilings
- Use of non-combustible materials
- Routing of cables with improved behaviour in case of fire



PRODUCTS ARE IMPORTED ON REQUEST ONLY
THIRD PROTECTION AIM

BSS

FUNCTION MAINTENANCE FOR ELECTRICAL SYSTEMS

30 minutes: Function maintenance for a safe evacuation and rescue. The first 30 minutes after the start of a fire play an important role. For the affected building to be cleared quickly, the function maintenance must be guaranteed for the following equipment during this time:

- Safety lighting systems
- Lifts with fire control
- Fire alarm systems
- Alarm systems and systems to issue instructions
- Fire extraction systems



DIBt



For more information on the Fire Protection contact o-line@o-line.com

When placing orders please use product code indicated by #

OL55 Litespan* - Mild Steel Hot-Dip Galvanized (HDG)


	3m Str	Hor	Int	Ext	Tee	4Way
100mm	R 818,00	R 396,00	R 427,00		R 868,00	R 1 302,00
1.6mm	# 6902503	# 6902553	# 6902603	# 6902653	# 6902703	# 6902753
150mm	R 854,00	R 422,00	R 440,00		R 903,00	R 1 345,00
1.6mm	# 6902507	# 6902557	# 6902607	# 6902657	# 6902707	# 6902757
200mm	R 886,00	R 446,00	R 452,00		R 934,00	R 1 442,00
1.6mm	# 6902511	# 6902561	# 6902611	# 6902661	# 6902711	# 6902761
300mm	R 947,00	R 492,00	R 476,00		R 995,00	R 1 517,00
1.6mm	# 6902515	# 6902565	# 6902615	# 6902665	# 6902715	# 6902765
400mm	R 1 018,00	R 605,00	R 506,00		R 1 059,00	R 1 597,00
1.6mm	# 6902519	# 6902569	# 6902619	# 6902669	# 6902719	# 6902769
500mm	R 1 080,00	R 664,00	R 531,00		R 1 211,00	R 1 789,00
1.6mm	# 6902523	# 6902573	# 6902623	# 6902673	# 6902723	# 6902773

OL55 Splice Set
R 39,00
6902782
OL55 Adj Splice Set
R 176,00
6902789

Splice Thickness - 1.6mm
Splice Set supplied complete with fasteners

OL76 Splice Set
R 74,00
6903092
OL76 Adj Splice Set
R 200,00
6903099

Splice Thickness - 2.0mm
Splice Set supplied complete with fasteners



OL76 Medium Duty - Mild Steel Hot-Dip Galvanized (HDG)

	3m Str	Hor	Int	Ext	Tee	4Way
100mm	R 979,00	R 478,00	R 486,00		R 1 039,00	R 1 506,00
1.6mm	# 6902803	# 6902853	# 6902903	# 6902953	# 6903003	# 6903053
150mm	R 1 015,00	R 508,00	R 500,00		R 1 085,00	R 1 554,00
1.6mm	# 6902807	# 6902857	# 6902907	# 6902957	# 6903007	# 6903057
200mm	R 1 050,00	R 536,00	R 513,00		R 1 125,00	R 1 664,00
1.6mm	# 6902811	# 6902861	# 6902911	# 6902961	# 6903011	# 6903061
300mm	R 1 110,00	R 592,00	R 538,00		R 1 205,00	R 1 756,00
1.6mm	# 6902815	# 6902865	# 6902915	# 6902965	# 6903015	# 6903065
400mm	R 1 177,00	R 650,00	R 570,00		R 1 299,00	R 1 870,00
1.6mm	# 6902819	# 6902869	# 6902919	# 6902969	# 6903019	# 6903069
500mm	R 1 490,00	R 867,00	R 650,00		R 1 589,00	R 2 173,00
2.0mm	# 6902823	# 6902871	# 6902923	# 6902973	# 6903023	# 6903073
600mm	R 1 590,00	R 951,00	R 685,00		R 1 728,00	R 2 304,00
2.0mm	# 6902827	# 6902873	# 6902927	# 6902977	# 6903027	# 6903077
800mm	R 2 002,00	R 1 227,00	R 770,00		R 1 952,00	R 3 241,00
2.0mm	# 6902831	# 6902877	# 6902931	# 6902981	# 6903031	# 6903081
1000mm	R 2 205,00	R 1 437,00	R 835,00		R 2 694,00	R 3 809,00
2.0mm	# 6902835	# 6902881	# 6902935	# 6902985	# 6903035	# 6903085

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure • Standard Accessory radius = 450mm. 650mm and 1000mm available on request • * OL55 cable ladder range is made to order •

When placing orders please use product code indicated by #

PS75 Powerspan Heavy Duty - Mild Steel Hot-Dip Galvanized (HDG)



PS75 has been tested according to IEC: 61537 (2006-10) loading standards.
Certificate available upon request.

	3m Str	Hor	Int	Ext	Tee	4Way
150mm	R 1 485,00	R 670,00	R 735,00		R 1 416,00	R 2 017,00
2.0mm	# 6903403	# 6903453	# 6903503	# 6903553	# 6903603	# 6903653
200mm	R 1 554,00	R 707,00	R 753,00		R 1 474,00	R 2 091,00
2.0mm	# 6903407	# 6903457	# 6903507	# 6903557	# 6903607	# 6903657
300mm	R 1 675,00	R 841,00	R 789,00		R 1 652,00	R 2 316,00
2.0mm	# 6903411	# 6903461	# 6903511	# 6903561	# 6903611	# 6903661
400mm	R 1 798,00	R 914,00	R 826,00		R 1 785,00	R 2 453,00
2.0mm	# 6903415	# 6903465	# 6903515	# 6903565	# 6903615	# 6903665
500mm	R 1 936,00	R 999,00	R 870,00		R 1 909,00	R 2 593,00
2.0mm	# 6903419	# 6903469	# 6903519	# 6903569	# 6903619	# 6903669
600mm	R 2 071,00	R 1 219,00	R 911,00		R 2 063,00	R 2 767,00
2.0mm	# 6903423	# 6903473	# 6903523	# 6903573	# 6903623	# 6903673
800mm	R 2 345,00	R 1 425,00	R 994,00		R 2 433,00	R 3 425,00
2.0mm	# 6903427	# 6903477	# 6903527	# 6903577	# 6903627	# 6903677
1000mm	R 2 430,00	R 1 626,00	R 1 068,00		R 2 850,00	R 4 061,00
2.0mm	# 6903431	# 6903481	# 6903531	# 6903581	# 6903631	# 6903681

PS75 Powerspan © SA Patent No: 88/06902 92/07710



Splice Thickness - 2.0mm
Splice Set supplied complete
with fasteners

PS75 Splice Set
R 128,00
6903692
PS75 Adj Splice Set
R 229,00
6903699

PS100 Splice Set
R 147,00
6903992
PS100 Adj Splice Set
R 286,00
6903999

PS100 Powerspan Heavy Duty - Mild Steel Hot-Dip Galvanized (HDG)



PS75 has been tested according to IEC: 61537 (2006-10) loading standards.
Certificate available upon request.

	3m Str	Hor	Int	Ext	Tee	4Way
150mm	R 1 760,00	R 782,00	R 851,00		R 1 566,00	R 2 214,00
2.0mm	# 6903703	# 6903753	# 6903803	# 6903853	# 6903903	# 6903953
200mm	R 1 833,00	R 820,00	R 870,00		R 1 628,00	R 2 291,00
2.0mm	# 6903707	# 6903757	# 6903807	# 6903857	# 6903907	# 6903957
300mm	R 1 957,00	R 948,00	R 907,00		R 1 808,00	R 2 513,00
2.0mm	# 6903711	# 6903761	# 6903811	# 6903861	# 6903911	# 6903961
400mm	R 2 086,00	R 1 057,00	R 946,00		R 1 948,00	R 2 652,00
2.0mm	# 6903715	# 6903765	# 6903815	# 6903865	# 6903915	# 6903965
500mm	R 2 231,00	R 1 194,00	R 993,00		R 2 077,00	R 2 794,00
2.0mm	# 6903719	# 6903769	# 6903819	# 6903869	# 6903919	# 6903969
600mm	R 2 373,00	R 1 410,00	R 1 035,00		R 2 238,00	R 2 970,00
2.0mm	# 6903723	# 6903773	# 6903823	# 6903873	# 6903923	# 6903973
800mm	R 2 657,00	R 1 638,00	R 1 121,00		R 2 616,00	R 3 569,00
2.0mm	# 6903727	# 6903777	# 6903827	# 6903877	# 6903927	# 6903977
1000mm	R 2 927,00	R 1 864,00	R 1 199,00		R 3 000,00	R 4 205,00
2.0mm	# 6903731	# 6903781	# 6903831	# 6903881	# 6903931	# 6903981

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure • Standard Accessory radius = 450mm. 650mm and 1000mm available on request • Splice Sets are sold separately and not included in price • 4Ways are made to order and non-returnable •


When placing orders please use product code indicated by #

Cable Ladder Covers* - Mild Steel Hot-Dip Galvanized (HDG)

	1.5m Str	Hor	Int	Ext	Tee	4Way
100mm	R 397,00	R 848,00	R 265,00		R 1 196,00	R 2 406,00
150mm	R 506,00	R 991,00	R 330,00		R 1 317,00	R 2 576,00
200mm	R 610,00	R 1 196,00	R 394,00		R 1 445,00	R 2 752,00
300mm	R 820,00	R 1 372,00	R 522,00		R 1 719,00	R 3 124,00
400mm	R 1 029,00	R 1 596,00	R 649,00		R 2 019,00	R 3 522,00
500mm	R 1 317,00	R 2 090,00	R 952,00		R 2 515,00	R 4 198,00
600mm	R 1 540,00	R 2 401,00	R 1 111,00		R 3 724,00	R 4 679,00
800mm	R 1 986,00	R 3 118,00	R 1 428,00		R 3 815,00	R 5 726,00
1000mm	R 2 431,00	R 3 860,00	R 1 744,00		R 4 768,00	R 6 884,00


*Covers made to fit OL55, OL76 and Powerspan Range
1.6mm thickness from 100mm to 400mm
2.0mm thickness from 500mm to 1000mm

3.0 Cover Clamp
R 17,00
9814233



Cable Ladder Accessories

Cable Ladder accessories are standard 90°, 450mm Radius.
Price on request for 45°, 650mm and 1000mm Radius.



• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: Ex Stock subject to prior sale • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure
• Standard Accessory radius = 450mm. 650mm and 1000mm available on request •

SSP130 1.6 Superspan -Mild Steel Hot-Dip Galvanized (HDG)



SSP130 has been tested according to IEC: 61537 (2006-10) loading standards.
Certificate available upon request.

	6m Str	Hor	Int / Ext	Tee	4Way
150mm	R 3 878,00	R 971,00	R 965,00	R 2 168,00	R 2 908,00
200mm	R 3 998,00	R 1 019,00	R 976,00	R 2 232,00	R 2 968,00
300mm	R 4 327,00	R 1 094,00	R 1 006,00	R 2 411,00	R 3 303,00
400mm	R 4 400,00	R 1 171,00	R 1 036,00	R 2 545,00	R 3 327,00
450mm	R 4 530,00	R 1 310,00	R 1 065,00	R 2 651,00	R 3 367,00
500mm	R 4 637,00	R 1 317,00	R 1 074,00	R 2 682,00	R 3 464,00
600mm	R 4 868,00	R 1 448,00	R 1 108,00	R 2 827,00	R 3 764,00
800mm	R 5 329,00	R 1 807,00	R 1 178,00	R 3 621,00	R 4 038,00
1000mm	R 5 765,00	R 2 464,00	R 1 239,00	R 3 932,00	R 4 327,00

Specifications:

- NEMA 20B - 1.6mm
- NEMA 20C - 2.0mm
- Accessory Radius Standard 650mm Radius
- Standard length 6m

SSP130 Splice Set


R 385,00

Available on request:

- 1000mm Accessory Radius
- 5.8m Length
- SSP100 and SSP150
- Stainless Steel Finish
- Peaked & Flat Covers



Superspan Ladder & Accessories are manufactured to meet NEMA 20B and NEMA20C Classifications




Full splice on all
Straights & Accessories
Splice Sets supplied c/w
fasteners

• Prices are List, Ex-Works, Exclude VAT or Discount & Subject to change without prior notice • Availability: made to order • Goods returned are subject to Quality Approval & 15% handling charge • All Hot-Dip Galvanized products are cleaned and prepared to O-line's Standard Quality Procedure •

PRICES ON REQUEST

TWINSpan - TS150 / TS225

Twinspan is a range of robust, all welded construction, double sided cable ladders. Twinspan is specifically designed to carry cables in an edge mounted application over spans of up to 8,0m at design working load in petrochemical plants.



Widths available:
300mm
450mm
600mm
900mm

DURASpan - DS75




DS75 has been tested according to IEC: 61537 (2006-10) loading standards.
Certificate available upon request.

Duraspan is a range of sturdy lightweight, single sided, high strength, corrosion resistant, nonconductive, maintenance free, all glass reinforced polyester (GRP) cable ladders.

Widths available:


150mm
300mm
450mm
600mm
750mm
900mm



MINESPAN & ANGLE IRON LADDER

Minespan / Angle Iron Ladder is a range of robust, all welded construction single sided cable ladders developed around the commonly specified 'Angle and flat bar' type cable ladder.

Minespan / Angle Iron cable ladder is designed to carry cables over spans of up to 4,0m in an edge mounted application and up to 3,5m in a horizontal application at design working load.



NOTES

STANDARD CONDITIONS OF QUOTATION, CONTRACT AND SALE

of O-line (Pty) Ltd And Its Subsidiary Companies herein stated as O-line.

All merchandise sold and business invited in O-line quotations, tenders, catalogues and price lists is subject to the O-line Conditions of Quotation, Contract and Sale in force at that time. O-line reserves the right to modify and change designs.

(i) Unless otherwise expressly agreed in writing by O-line any terms or conditions of a Purchaser which are in conflict with these conditions shall be deemed not to, and shall not, apply nor be part of the contract and O-line contracts only upon and subject to these conditions and none other.

(ii) WORKMANSHIP, DESIGN AND MATERIALS GUARANTEE

O-line may at its option repair or replace any goods or parts which become defective under normal use and condition and which are returned at the Purchaser's cost to the source from which the product originated within 30 days of delivery thereof to the Purchaser. The Purchaser shall have no claim or remedy against O-line or any other supplier or manufacturer of the goods in respect of any defects in the goods or parts thereof, furthermore O-line will not be liable for any consequential loss or other claim. No Director or servant or agent of O-line, and no third party, has any authority from O-line to make or give any guarantee or warranty or to vary or add to these conditions, and any representation made or warranty given or term allegedly agreed to by any such person at any time forms no part of the contract and is hereby expressly excluded, unless the same is in writing and is signed by a Director of O-line and it is agreed that O-line is not responsible for any negligence or any negligent misstatement made by any person. No condition or warranty whether expressed or implied (whether by statute or otherwise) as to material, design or workmanship or fitness of the goods for any particular purpose is given, and any such condition or warranty which might otherwise be implied is hereby expressly excluded.

(iii) INDEMNITY

O-line shall not be liable or responsible for any loss or damage whatsoever to person or property arising out of the use of goods purchased from O-line or directly or indirectly arising from the condition of such goods or any defect therein and the Purchaser hereby indemnifies O-line and holds it harmless against all and any claims which may at any time be made against O-line in respect of any such loss or damage.

(iv) ALTERATIONS AND IMPROVEMENTS

As alterations and improvements are continually being made by O-line and their suppliers to their various products and goods O-line reserves the right, without notice, to make any changes in materials, dimensions or design which O-line deems desirable.

(v) DELIVERY

O-line will execute orders as soon as possible, but delivery dates either quoted or agreed are not of the essence of the contract, nor can O-line guarantee them, and O-line is not responsible for any loss, expense or damage sustained by the Purchaser of any sort caused by any delay in delivery. The Purchaser must accept delivery of the goods when offered by O-line at the site specified in the delivery note. Whether goods ordered by the Purchaser are delivered to a specified site or whether goods are collected by the Purchaser at the premises of O-line or that of another supplier of O-line, all risks relating to the goods in question pass to the Purchaser upon delivery or handing over of the goods by O-line to the Purchaser or the Purchaser's carrier, agent or employee. The Purchaser shall be responsible for offloading of the vehicle. Any additional costs or charges arising from delivery to any other site requested by the Purchaser shall be paid for by the Purchaser. Upon delivery of the goods to the site the Purchaser shall be deemed to be fully responsible for the goods and will immediately effect proper and adequate insurance. In the event of any loss or damage to the goods howsoever arising before the Purchaser has paid the full price thereof the Purchaser shall compensate O-line for such loss and/or damage. O-line will not consider any claim in respect of or be liable for any shortage or damage to the goods on delivery and/or damage to the goods in transit unless such shortage and/or damage is endorsed by the Purchaser on the delivery or consignment note relating to the goods in question and unless O-line is notified either verbally or in writing of any shortage or damage within three days of delivery and a detailed claim in writing is received by O-line within seven days of delivery, or in the event of non-delivery written notification is received by O-line within fourteen days of the date of despatch shown on the delivery note.

(vi) CUSTOMER INSPECTION OF GOODS DELIVERED

The Purchaser is responsible for checking that goods of the correct specification and/or description are delivered and while O-line will replace any incorrect goods delivered provided they are notified thereof within seven days of the original delivery date, O-line shall not be liable for any loss or damage howsoever caused from the use of such goods even if delivery arises from the negligence of O-line, their servants or agents.

(vii) CANCELLATION OF ORDERS

All orders for stock goods and goods the manufacture of which has not commenced may be cancelled subject to a cancellation fee determined solely by O-line. Cancellation of orders for non stock items and/or special goods may be considered at O-line's sole discretion subject to the following conditions: if the material is finished and ready for shipment the Purchaser shall be liable for the full contract price, or if any part thereof shall be in process, the Purchaser will pay a cancellation charge based upon the contract price and measured by the degree of completion of the goods on the date cancellation is received, such degree of completion being determined at the sole discretion of O-line.

(viii) GOODS RETURNED FOR CREDIT

Goods which O-line regards as its standard stock and which have not been used by

the Purchaser may, if O-line so agrees, be returned to O-line for credit but under no circumstances shall any goods be returnable after the expiration of three months from date of sale. Non stock items which are clearly indicated in the official O-line price list shall not be returnable. In the case of special orders, which are orders placed in respect of products other than those reflected on O-line's official price list (i.e. where special orders are required to be prepared by the manufacturer to suit the specific requirement of the Purchaser) the product sold shall not be returnable at all. All returnable goods are subject to O-line's quantity and quality approval prior to acceptance and must in all cases be accompanied by a copy of the original O-line invoice or delivery note. Dirty or soiled goods will under no circumstances be accepted. All goods returned will be subject to a handling fee as indicated on the official current O-line price list.

(ix) QUOTATIONS, PRICES, PAYMENT AND TERMS

O-line's prices are subject to alteration without notice, and orders are accepted and contracts are made only on condition that the prices charged or agreed are subject to variation in accordance with the appropriate price ruling at the date of the delivery note. This price ruling may be obtained by using either one of the following two methods, namely, the ruling prices in the current official O-line price list or by calculating the price variation on the originally quoted price in accordance with the relevant O-line Standard Contract Price Adjustment Formulae. In O-line quotations where unit prices of specified quantities of products are extended to arrive at a total supply price, the unit prices quoted shall take precedence over all else in case of errors and/or omissions. All prices quoted in the official price lists and/or quotations, tenders and the like, include only Value Added Tax at the prevailing rate at the time of issue, unless otherwise stated. The Purchaser's acceptance of any quotation will not form a binding contract between the parties hereto until such acceptance has been agreed in writing by O-line. On request, current prices will be quoted for O-line's various products, but any current price list shall not constitute an offer to sell goods. The prices reflected in O-line's official price list allow for delivery "Carriage Paid" within O-line's free delivery area. The term "Carriage Paid" means that O-line will pay the full cost of transportation of goods by such means of delivery as O-line considers most suitable, providing always that a reasonably hard road surface is available to the point of intended unloading. If such is not available, O-line's driver will specify the nearest available unloading point, which will then become the Delivery Site. All goods delivered by O-line as comprised in the order and any materials or equipment used in connection therewith shall remain the property of O-line and shall be deemed to remain the property and in the possession of O-line until payment of the full price has been made by the Purchaser and in the event of the Purchaser not making payment to O-line within seven days of the date on which any payment is due, O-line may remove all materials and equipment and the Purchaser shall, for the purpose of enabling O-line to exercise its rights hereunder, permit and give reasonable assistance to the workmen or agents of O-line to enter upon his premises for the purpose of effecting such dismantling and removal and such rights shall be without prejudice to the further right of O-line to recover the full amount due to O-line under any contract with the Purchaser in damages or otherwise. Until receipt of payment in full the Purchaser shall be deemed to be retaining any such goods as trustee for and on behalf of O-line and such fiduciary relationship shall continue whilst any money due to O-line under the said order remains outstanding. The acceptance by the Purchaser of this condition shall be fundamental to any contract. O-line reserves the right (until payment shall have been made in full) to place on any part or parts of goods or equipment supplied by them a plate or plaque stating that the ownership of goods is vested in O-line. O-line terms for payment are always that the due date for payment of any invoice shall be the date of such invoice. A Director of O-line may withdraw any previously approved credit facility, settlement discount offered, or extension of time indicated on O-line's statements, Invoices or elsewhere by giving written notice to the Purchaser at his last known business address, and all invoiced amounts shall then become due and payable.

(x) FORCE MAJEURE

If O-line is prevented from carrying out its obligations hereunder by circumstances beyond its reasonable control, including, but without prejudice to the generality of the foregoing any form of Government intervention, strikes, lockouts, failure of sub-contractors to supply, shortage or interruption of supplies of materials, energy or power supplies, then O-line may cancel this contract and no liability shall by reason of such cancellation attach to either party subject always to the onus on the Purchaser to pay for all goods already delivered.

(xi) RELEVANT LAW / JURISDICTION / COSTS

These conditions of quotation, contract and sale shall be construed according to the laws of the Republic of South Africa, and the Purchaser hereby submits

actions or other proceedings arising herefrom, notwithstanding that the amount claimed may exceed the jurisdiction of such Court. The Purchaser shall be liable to O-line for all expenses incurred in collecting any amount owing by the Purchaser, including all legal charges on the scale as between attorney and own client, collection charges, tracing fees, and interest levied by O-line at the prevailing prime overdraft rate charged by Standard Bank plus 5% per annum in respect of payments not made timeously.

DOC NO: FORM23.3-1 REV. 0 DATE: 5TH FEBRUARY 1996

Additional Price Lists Available

Individual Price Lists are available for the following O-Line marketed products:

- Duraspan®
- Epoxy Powder, Duplex, 3CR12 and Stainless Steel Finishes on a Range of Products

Products Manufactured to Order

Some O-Line products need to be manufactured to suit specific customer requirements. Our Technical Sales Representatives are available to assist in establishing customer requirements and prices to suit for the following product ranges:

- Free Standing Support System

www.o-line.com

O-line

SOUTH AFRICA

O-line (Pty) Ltd - Head Office

Reg. No. 1982/000082/07

14/16 Prop Street,
Selby Ext. 11
Johannesburg 2001
P.O. Box 6457
Johannesburg 2000
South Africa

Tel: (+27) 011 378 3700

Fax: (+27) 011 493 0048

Email: o-line@o-line.com

O-line Kwazulu-Natal

Unit 1, Chelsea Road
Industrial Park
17 Chelsea Road
New Germany 3620
South Africa

Tel: (+27) 031 705 6355

Fax: (+27) 031 705 6358

Email: o-linekzn@o-line.com

O-line Port Elizabeth

26 Paterson Road
North End,
Port Elizabeth 6001
P.O. Box 1352
Port Elizabeth 6000
South Africa

Tel: (+27) 041 486 3674

Fax: (+27) 041 484 5463

Email: o-linepe@o-line.com

O-line Pretoria

The Willows Business Park
219 Battery Street
Silverton
Pretoria
P.O. Box 2039 Silverton
0127
South Africa

Tel: (+27) 012 803 1803

Fax: (+27) 012 803 1733

Email: o-linepta@o-line.com

O-line Bloemfontein

Cnr Frikkie Van Kraayenburg
& Naude Du Toit Street
New East-End
Bloemfontein 9300
P.O. Box 29809
Danhof 9310
South Africa

T (+27) 051 432 0707

F (+27) 051 432 0708

Email: o-linebfn@o-line.com

O-line Cape Town

Unit 2, 6 Thor Circle
Viking Place
Thornton 7460
P.O. Box 506
Eppindust 7475
South Africa

Tel: (+27) 021 531 9071

Fax: (+27) 021 531 8092

Email: o-linecpt@o-line.com

INTERNATIONAL

O-line Mocambique Limitada

Reg. No. 2009/1001240/68

Rua Bebeluane
Parcela 510
Djuba, Matola-Rio
Maputo

Tel: (00) 258 217 30243

Fax: (00) 258 217 30244

Email: o-linemz@o-line.com

OBO Betterman Ghana

Reg. No. CS036372016

Plot No.53, Flower Pot,
Spintex Road, Accra, Ghana

Tel: (00) 233 5015 22488

Fax: (00) 233 2441 94426

Email: obo.ghana@obo-bettermann.com